## DESCRIPTIVE TITLE OF THE INVENTION

A wearable garment that dispenses multiple cleaning solutions and vacuums residual waste fluids.

CROSS REFERENCE TO RELATED APPLICATIONS

Not applicable.

REFERENCE TO SEQUENCE LISTING A TABLE OR COMPUTER PROGRAM LISTING COMPACT DISK APPENDIX

Not applicable

BACKGROUND OF THE INVENTION

Industrial and household surface cleaning is an undesirable but necessary function requiring repetitive and wasted motion. Depending on the variety of surfaces and stains encountered during cleaning, many different types of cleaning solutions are needed to effectively clean them. Thus, specific products must be located, adjusted to the proper spray application, and then sprayed on the surface to be cleaned. Once the solution is sprayed on the surface, the solution dissolves the stains, which are then both manually removed from the surface. This process

involves repeated motions that can be frustrating to the person who is using them; particularly if the correct type of cleaning agent was not selected initially or if the absorbent material to remove the solution was not readily available. A garment that contains all the necessary types of cleaning solutions for stains encountered will save time and effort. Additionally, instead of using towels, rags, sponges, or some other absorbent materials to remove the residual waste from the surface, a mechanism to vacuum up residual waste would further make the cleaning chore more efficient.

## BRIEF SUMMARY OF THE INVENTION

The previously mentioned objects and others are achieved by the present invention, which is directed to a device to improve the task of cleaning household or industrial surfaces. In particular, the device involves the delivering of a cleaning solution which is selected or combined from a variety of solutions that are contained in separate reservoirs located within the structure of the cleaning garment.

According to the invention, cleaning solutions are located in bladder reservoirs and are attached to a garment that can be comfortable worn.

A selector dial is used to choose which cleaning solution or solutions will

be delivered to the distal spray gun that is connected via a hose to the selector dial. Multiple attachments including those for scrubbing, sponging, or swabbing can be attached to the spray gun head.

After cleaning solution is applied, and the surface is scrubbed if necessary, the residual waste solution is then removed by the aforementioned wet-dry vacuum device, which is also manufactured as part of the garment. A liquid waste reservoir conveniently holds all cleaning solution waste until it can be disposed.

BRIEF DESRIPTION OF THE DRAWINGS

Figure 1 Front view of the invention

Figure 2 Side view of the invention

DETAILED DESCRIPTION OF THE INVENTION

There is no prior development of an invention similar to that described herein. In the following detailed description, reference is made to the accompanying drawings which are shown by way of illustration of specific embodiments in which the invention may be practiced. It is to be understood that other embodiments may be utilized and structural or logical changes may be made without departing from the scope of the

present invention. The following detailed description, therefore, is not to be taken in a limiting sense, and the scope fo the present invention is defined by the appended claims.

Fig 1 illustrates a preferred embodiment of a garment containing reservoirs to disperse cleaning solutions and a vacuum designed to pick up liquid waste.

Garment (fig 1). The invention is a garment (29) composed of natural or synthetic fabric and can be made as a coat, vest, over shirt, etc, that allows it to be comfortable worn by the user. The cleaning solution reservoirs, control knob, tubes, and vacuum are all directly attached to the garment. By way of example, a single adjustment device is shown, however a variety of closures can be used to adjust the garment, including, but not limited to Velcro, ties, straps, buckles, etc.

Solution reservoirs (21). Several bladder reservoirs (21), capable of holding various cleaning solutions are attached to the garment. These bladders are made of a durable, flexible material, such as vinyl, capable of holding the cleaning solutions without leaking. In Fig 1, three reservoirs are depicted; however, a number of bladders can be attached to the garment. In order to facilitate cleaning of the reservoirs, they can be removable or permanently integrated into the garment. A variety of

cleaning solutions can be used in the bladder reservoirs, including, but not limited to those used to clean windows, anti-bacterial, anti-grease, anti-scum, water, etc.

Dial (23) The cleaning solution is selected via a selector dial (23) located in an easy to reach location on the garment. The selector dial allows one or more solutions to be taken into the tube at a time and delivered to the spray nozzle. Once the selection is made, liquid is dispensed through the imbedded tubes (22) and through the attachment (25). As depicted, the attachment (25) can be a spray nozzle; however other types of attachments that scrub, sponge, or perform a cleaning function can be contemplated.

Attachments (25). A variety of attachments can be connected via a simple snap or slide onto the dispensing hose to assist in scrubbing, sponging or swabbing, and including any cleaning activity associated with the surface cleaning. The spray head (25) can be made into the vacuum head (28) of the garment, or as depicted in Figures 1 and 2, can be separate.

Wet and dry vacuum (31). A battery operated or electrical wet and dry vacuum mechanism is attached to the garment to remove used cleaning solutions after the cleaning process has occurred.

Waste solution reservoir (32). The garment contains a waste solution reservoir that is attached to the wet and dry vacuum (31) to collect and hold liquid and solid waste until it is convenient to dispose of it.